

a.d.
acovia design



**SCOUT
TENTS**

quality & testing

First-class products and services are our most important value and the result of our expertise. Work in accordance with the **ISO 9001 standard** has been established for many years and we are constantly upgrading it following new versions.

All TenCate fabrics we use in our tent program are subjected to various tests and bring many years of carefree usage. In addition to laboratory tests, practical outdoor tests are also carried out, which are closely related.

Fabrics for the tent program are exposed to external influences in the Netherlands and Greece every year. **These practical tests are occasionally accelerated by implementation in a year-round summer program.**

Fabrics in this program are exposed to the environment in the United States (Florida) for 6 months, and in the remaining 6 months are exposed to influences in Australia. Thus, usage testing for two seasons is performed in one year. The effects of pollution are also monitored, and special attention is paid to the development of algae and mold.

The main properties of fabrics are tested following international standards. Tests include abrasion resistance, discolouration, and light fastness. Water-repellency and fire safety are checked, the water column is measured and moisture absorption and resistance to mold development are checked.

LEGEND OF PROPERTIES



WATER-REPELLENT
fabric



STRONG
fabric



UV-RESISTANT
fabric



5-YEAR WARRANTY
guaranteed



BREATHABLE
fabric



DURABLE
fabric



fabric, resistant to
MOLD AND ROT



automatic
HUMIDITY CONTROL

KAZALO

- 3 TENT **TABORNIK**
- 5 TENT **TABORNIK**
z nadstreškom
- 7 TENT **HISTRIA**
- 9 TENT **ZLATOROG**
- 11 TENT **LOOX**
- 13 TENT **SKAVT**
- 15 TENT **BOHINJ**
- 17 **ACCESSORIES & MAINTENANCE**

i MORE INFO

t +386 (0)1 721 94 78
w acovia-design.com
e info@acovia-design.com
A.D. Acovia Design d.o.o.
Šaranovičeva 36b
1230 Vir pri Domžalah
Slovenija – EU

TENT TABORNIK

specifications

BASE FABRIC

100% TanCate cotton
300 g/m²
water-repellent impregnated (300 mm HH)
anti-rot and anti-mold treated

TWO-LAYER WINDOW

mesh
canvas lid

CLOSING SYSTEM

YKK zippers, a key with two pendants

BOTTOM

durable PE fabric

FRAME

ø 22 × 1 mm
galvanised and passivated steel
“POWER GRIP” clamping system

DIMENSIONS (+ APSE)

width: 240 cm
length: 200 (+ 80) cm
ridge height: 185 cm
side height: 75 cm

WEIGHT

canvas: 9.5 kg
frame: 3 kg
accessories: 0.9 kg
bags (packaging): 0.1 kg

FULL TRANSPORT BAGS

DIMENSIONS (VOLUME)

canvas + frame + accessories:
1 pcs, ø 40 × 80 cm (0.1 m³)

MORE INFO



LIVING AREA

6.7 m²

TOTAL WEIGHT

13.5 kg

ACCOMMODATION FOR

4 persons

WARRANTY

5 years




TENT CODE

300/200

COLOUR CHART



technical drawing



The traditional scout canvas tent **TABORNIK** is distinguished by a modern design. It has been developed at the request and in accordance with the needs and proposals of scouts, elders of Slovenian scout families, and the *Scout Association of Slovenia*. It is based on a model known to Slovenian scouts as *Savica*.

Raised sides of the tent allow for better utilisation, as they allow sitting next to the sides and thus increase the usability of the entire floor area. Large windows on the doors and sides allow for brightness and good ventilation of the interior. The canvas is made of TenCate cotton fabric with excellent properties of ventilation and humidity regulation, which ensures a pleasant climate in the tent. The material is resistant to all weather conditions.



TENT TABORNIK

with canopy

specifications

BASE FABRIC
100% TanCate cotton
300 g/m²
water-repellent impregnated (300 mm HH)
anti-rot and anti-mold treated

TWO-LAYER WINDOW
mesh
canvas lid

CLOSING SYSTEM
YKK zippers, a key with two pendants

BOTTOM
durable PE fabric

FRAME
ø 22 × 1 mm
galvanised and passivated steel
“POWER GRIP” clamping system

DIMENSIONS (+ APSE + CANOPY)
width: 240 cm
length: 200 (+ 80 + 150) cm
ridge height: 185 cm
side height: 75 cm

WEIGHT
canvas: 11.5 kg
frame: 4 kg
accessories: 0.9 kg
bags (packaging): 0.1 kg

FULL TRANSPORT BAGS
DIMENSIONS (VOLUME)
canvas + frame + accessories:
1 pcs, ø 40 × 80 cm (0.1 m³)

MORE INFO



TOTAL AREA
6.7+3.6 m²

TOTAL WEIGHT
16.5 kg

ACCOMMODATION FOR
4 persons


WARRANTY
5 years

TENT CODE
300/201

COLOUR CHART

ivory 00000	ivory 2034	tan	beige	cognac
bordeaux	green	med. green	dark blue	med. blue
mouse grey	black			

technical drawing



Traditional scout canvas tent **TABORNIK WITH CANOPY** is distinguished by a modern design. It has been developed at the request and in accordance with the needs and proposals of scouts, elders of Slovenian scout families, and the *Scout Association of Slovenia*. It is based on a model known to Slovenian scouts as *Savica with canopy* or *Baldahin*, respectively. Raised sides of the tent allow for better utilisation, as they allow sitting next to the sides and thus increase the usability of the entire floor area. Large windows on the doors and sides allow for brightness and good ventilation of the interior. **The canopy extends the usable floor plan** of the tent by 150 cm in length (3.6 m²). This provides extra space in front of the entrance, protected from the weather (sun, rain, etc.). It further helps to cool the interior since the front door can be completely open, and yet the effects of the sun do not reach the inside.



TENT HISTRIA

specifications

BASE FABRIC

100% TanCate cotton
300 g/m²
water-repellent impregnated (300 mm HH)
anti-rot and anti-mold treated

TWO-LAYER WINDOW

mesh
canvas lid

CLOSING SYSTEM

lacing (ribbons & rings)

BOTTOM

tent is bottomless

FRAME

ø 22 × 1 mm
galvanised and passivated steel

DIMENSIONS

width: 220 cm
length: 200 cm
ridge height: 175 cm
side height: 60 cm

WEIGHT

canvas: 6 kg
frame: 3 kg
accessories: 0.9 kg
bags (packaging): 0.1 kg

FULL TRANSPORT BAGS

DIMENSIONS (VOLUME)
canvas + frame + accessories:
1 pcs, ø 40 × 80 cm (0.1 m³)

MORE INFO



LIVING AREA

4.4 m²

TOTAL WEIGHT

10 kg

ACCOMMODATION FOR

2 persons

WARRANTY

5 years




TENT CODE

300/202


COLOUR CHART



technical drawing



Traditional scout canvas tent **HISTRIA** with a modern design has been developed at the request and in accordance with the needs and proposals of scouts of Slovenia and Croatia.
The tent is quick to set up. It is also **suitable for competitions and training of young scouts**. The entrance is closed by a lacing system with ribbons and rings. There is also a window on the backside of the tent that brings light into the interior. The canvas is made of TenCate cotton fabric with excellent properties of ventilation and humidity regulation. It ensures a pleasant climate in the tent and is resistant to all weather conditions.



TENT ZLATOROG

specifications

BASE FABRIC

100% TanCate cotton
300 g/m²
water-repellent impregnated (300 mm HH)
anti-rot and anti-mold treated

TWO-LAYER WINDOW

mesh
canvas lid

CLOSING SYSTEM

lacing (ribbons and rings)

BOTTOM

the tent is bottomless

FRAME

ø 22 × 1 mm
galvanised and passivated steel
“POWER GRIP” clamping system

DIMENSIONS (+ APSE)

width: 240 cm
length: 200 (+ 80) cm
ridge height: 185 cm
side height: 75 cm

WEIGHT

canvas: 8.6 kg
frame: 3 kg
accessories: 0.9 kg
bags (packaging): 0.1 kg

FULL TRANSPORT BAGS

DIMENSIONS (VOLUME)
canvas + frame + accessories:
1 pcs, ø 40 × 80 cm (0.1 m³)

MORE INFO



LIVING AREA

6.7 m²

TOTAL WEIGHT

12.6 kg

ACCOMMODATION FOR

4 persons

WARRANTY

5 years




TENT CODE

300/205

COLOUR CHART



technical drawing



Traditional scout canvas tent **ZLATOROG** is distinguished by a modern design. It has been developed at the request and in accordance with the needs and proposals of scouts, elders of Slovenian scout families, and the *Scout Association of Slovenia*. It is based on a model known to Slovenian scouts as *Savica*.

The tent is **great for a children's play in the garden**. Raised sides of the tent allow for better utilisation, as they allow sitting next to the sides. Large windows on the doors and sides allow for brightness and good airiness of the interior. The canvas is made of TenCate cotton fabric with excellent properties of ventilation and humidity regulation. It ensures a pleasant climate in the tent and is resistant to all weather conditions. **Setting up the tent is easy and fast.**



specifications

BASE FABRIC

water-repellent impregnated (300 mm HH)
anti-rot and anti-mold treated
outer canvas: 100% TanCate cotton,
300 g/m²
intermediate door: breathable PES fabric,
180 g/m²

TWO-LAYER WINDOW

mesh
canvas lid

CLOSING SYSTEM

YKK zippers, a key with two pendants

BOTTOM

durable PE fabric

FRAME

ø 22 × 1 mm
galvanised and passivated steel
“POWER GRIP” clamping system

DIMENSIONS (+ CANOPY)

width: 240 cm
length: 263 (+ 137) cm
ridge height: 180 cm
side height: 40 cm

WEIGHT

canvas: 13.8 kg
frame: 9.5 kg
accessories: 2 kg
bags (packaging): 0.2 kg

FULL TRANSPORT BAGS

DIMENSIONS (VOLUME)

canvas + frame: 1 pcs, ø 40 × 80 cm (0.1 m³)
accessories: 1 pcs, ø 20 × 120 cm (0.037 m³)


MORE INFO



TOTAL AREA	TOTAL WEIGHT
6.3+3.3 m ²	23.5 kg
ACCOMMODATION FOR	WARRANTY
4 persons	5 years
TENT CODE	
300/206	


COLOUR CHART				
ivory 00000	ivory 2034	tan	beige	cognac
bordeaux	green	med. green	dark blue	med. blue
mouse grey	black	signalorange	sandgold	

technical drawing



Traditional scout canvas tent **LOOX** is distinguished by a modern design. It has been developed at the request and in accordance with the needs and proposals of scouts, elders of Slovenian scout families, and the Scout Association of Slovenia.

The frame is shifted along the sides, resulting in a larger and more useful floor plan. It offers plenty of storage space and has a built-in durrable PE bottom in the living area of the tent. Ventilation openings on the sides and windows at the back of the tent allow for brightness and airiness of the interior. **The canopy extends the usable floor plan** by 137 cm in length (3.29 m²). This provides extra space in front of the entrance, protected from the weather (sun, rain, etc.). It further helps to cool the interior of the tent since the front door can be completely open, and yet the effects of the sun do not reach the inside. The canvas is made of TenCate cotton fabric with excellent properties of ventilation and humidity regulation. It ensures a pleasant climate in the tent and is resistant to all weather conditions.



TENT SKAVT

specifications

BASE FABRIC

water-repellent impregnated (300 mm HH)
anti-rot and anti-mold treated
outer roof: 100 % TenCate cotton, 300 g/m²
inner tent: breathable PES fabric, 180 g/m²

TWO-LAYER WINDOW

mesh
canvas lid

CLOSING SYSTEM

YKK zippers, a key with two pendants

BOTTOM

durable PE fabric

FRAME

galvanised and passivated steel
basic: ø 28 × 1 mm
corner: ø 19 × 1 mm

DIMENSIONS (+ OUTER ROOF)

width: 410 (+ 140) cm
length: 243 (+ 97 in the front + 150 in the back) cm
ridge height: 185 (+ 20) cm
inner side height: 49 cm

WEIGHT

canvas: 21.5 kg
frame: 8 kg
accessories: 3 kg
bags (packaging): 0.2 kg

FULL TRANSPORT BAGS

DIMENSIONS (VOLUME)

canvas + frame: 1 pcs, ø 40 × 80 cm (0.1 m³)
accessories: 1 pcs, ø 20 × 120 cm (0.037 m³)

MORE INFO



TOTAL AREA

9.8+18.8 m²

TOTAL WEIGHT

32.7 kg

ACCOMMODATION FOR

8 persons

WARRANTY

5 years


TENT CODE

300/209

COLOUR CHART




technical drawing



The traditional scout canvas tent **SKAVT** is distinguished by a modern design. It was developed in cooperation with *Slovenian Catholic Girl Guides and Boy Scouts Association* and is based on *Jamboree* and *Brownsea* tent models.

The tent is equipped with strong pegs and a frame with pins. The inner tent is made of lightweight and breathable PES fabric. The outer roof is made of TenCate cotton fabric with excellent properties of ventilation and humidity regulation. It ensures a pleasant climate in the tent and is resistant to all weather conditions. **The double roof contributes to the comfortable atmosphere in the tent.** Between the additional outer roof and the roof of the inner tent is an insulating area (air bridge), which prevents the passage of heat into the living space. **The outer roof increases the usable floor plan by more than 10 m².** A small canopy in front of the tent protects against the weather (sun, rain, etc.), and helps to cool the interior. On the other side, the outer roof covers the surface of a larger semicircle, which can be closed completely if necessary.



TENT BOHINJ

specifications

BASE FABRIC

PES and TanCate cotton blend (50/50)
around 420 g/m²
water-repellent impregnated (450 mm HH)
anti-rot and anti-mold treated

TWO-LAYER WINDOW

mesh
canvas lid

CLOSING SYSTEM

lacing (ribbons and rings)

BOTTOM

the tent is bottomless*

FRAME

the tent is frameless
the wooden frame structure is not a part of
the tent*

DIMENSIONS

width: 240 cm
length: 280 cm
ridge height: 190 cm
side height: 61 cm

WEIGHT

canvas: 12 kg

MORE INFO



LIVING AREA

6.7 m²

TOTAL WEIGHT

12 kg

ACCOMMODATION FOR

2 persons

WARRANTY

5 years

TENT CODE

300/203

COLOUR CHART



ivory



safari



seagreen



lake



mountain





Civil protection



NATO army

technical drawing



AN EXAMPLE OF BUILDING A WOODEN STRUCTURE*

The traditional scout canvas tent **BOHINJ** is distinguished by a modern design. It has been developed at the request and in accordance with the needs and proposals of scouts, elders of Slovenian scout families, and the *Scout Association of Slovenia*.

Custom canvas production is also a unique opportunity for designing glamping tents where we adapt to your wishes.

* We present an example of good practice where the trough and the ridge are made of wood. A canvas part is hung on an upright wooden structure. The tent is thus completely protected from outer influences (sun, rain, etc.) and offers increased comfort in the interior. The canvas is made of TenCate cotton fabric with excellent properties of ventilation and humidity regulation. It ensures a pleasant climate in the tent and is resistant to all weather conditions.



service & additional equipment

Our products are 100% sustainable products – let us help you with your investment.

We can help you with existing equipment and new tents with knowledge, experience, and high-quality and professional work in manufacturing and servicing.


- A product with tradition
- Selection of quality input materials that provide a favourable climate in the room
- 5-year warranty
- Slovenian product
- 100% sustainable product

All services are performed by our experienced group of seamstresses and experts. Our repair department uses the same materials and machines as were used to make your product. We can repair and refine the product or create a unique solution that meets all your needs.

Machine washing, dry-cleaning, bleaching, ironing, or tumble drying of canvases is not allowed. Tears and other damage to the outer canvas should be repaired by the manufacturer.

Due to working with world-renowned suppliers, years of experience, and tradition, the lifespan of our scout tents is at least 15 years. If you follow the instructions for use and maintenance, the expected lifetime is extended. Along with improvements to the built-in materials and frame, we recognize a 5-year warranty on the tent and its safety.

The tent is manufactured in accordance with the Prestandard SIS EN-1999-1-1, Eurocode pt. 9. Technical documentation and static assessment are created in accordance with the first indent of Article 5 of the Mechanical Resistance And Stability of Construction Works (Official Gazette of RS No. 101/2005).



FLAT OR TROUGH BOTTOM
for tents



**ADDITIONAL
OUTER ROOF**



**SHOWER AND TOILET
CUBICLES**



**HANGING
LOCKERS**



**HANGING POCKETS
AND ORGANIZERS**



WEIGHTING BAGS
hard surface anchoring



**ADDITIONAL
ACCESSORIES**



**FIELD
BEDS**



**CAMPING MATS
AND BEDS**

vzdrževanje, shranjevanje & pranje

1 Remove stains regularly. External influences such as bird droppings, spores, kitchen steam, grease, hand soaps, and laundry detergents reduce the effect of preservatives in the tent fabric.

2 Try to prevent rubbing. The tent is made of a fabric that can be worn. Avoid rubbing, as leakage may occur at the point of contact.

3 Water that accumulates on the tent roof should be removed regularly. A puddle of water can stretch the canvas. The canvas becomes less waterproof, and the accumulated water further contaminates the tent.

4 Do not hang wet laundry on the tent. The soap in the wet laundry dissolves the chemicals that protect the canvas from the development of algae and mold.

5 Clean the tent regularly with lukewarm water and a cloth or soft brush. The use of cleaners or detergents is not permitted (including eco/bio cleaners).

6 Always make sure to ventilate the tent regularly. Although tent canvas is treated with preservatives, kitchen steam or other dirt can allow mold to develop. Ventilation reduces the possibility of mold and fungal growth. If possible, cook outside the tent.

7 Before storing the tent and preparing it for storage, make sure it is clean and dry. Mold stains caused by moisture during storage are very challenging to remove. Store each tent in its own packaging. The space in which you keep the tent should be ventilated.

8 If you had to put away a wet tent after camping, unpack it immediately upon arrival in the storage area and let it dry completely. In the case of a packed damp tent, mold quickly develops on the canvas, which can also happen if the tent is "almost" dry. In the case of camping by the sea, we suggest that you wash the tent thoroughly with fresh water and let it dry. Salt residues can also attract moisture in dry storage areas.

cleaning of impregnated and coated fabrics

- In case of heavy contamination or dirt, use only cleaners suitable for the specific area of application.
- TenCate has tried and tested the cleaners Isaclean, Deva, 123products, HG, and Ultramar.
- Always follow the instructions for use when using third-party detergents. After cleaning the impregnated fabric, it is very likely that subsequent impregnation will be required, which is not permanent.

- Use cleaners sparingly. Frequent use of cleaners can affect the durability of the fabric over time. Contact an expert for advice before use.
- There are dry cleaners that specialise in cleaning linen products. In the event of severe contamination, we suggest that you consult with one of these cleaners about cleaning a complete tent or consult us.
- Mold can be removed with slightly chlorinated water (1:10 chlorine-water ratio). If this does not work, use a cleaning agent according to the manufacturer's instructions. If the tent is made of uncoated canvas (impregnated fabric), follow the instructions for "Cleaning stains on impregnated fabric". After cleaning the impregnated fabric, re-impregnation is required, which is not permanent.

t
+386 (0)1 721 94 78

w
acovia-design.com

e
info@acovia-design.com

A.D. Acovia Design d.o.o.

Šaranovičeva 36b

1230 Vir pri Domžalah

Slovenija – EU

