



acovia
design



User manual
for the
SCOUT tent

t +386 (0)1 721 94 78
w acovia-design.com
e info@acovia-design.com

📍 A.D. Acovia Design d.o.o.
Šaranovičeva 36b
1230 Vir pri Domžalah
Slovenija – EU

thank you **for your trust**

Your new scout tent is made with modern techniques and materials. It also offers a wealth of accessories that you'll definitely want to take advantage of. Please read and follow the information in this manual carefully before using it for the first time. This will give you a quick and comprehensive introduction to your tent and help you learn how to make sure it lasts for many years to come. The instructions also include a list of components and spare parts, a declaration of conformity, a manufacturer's warranty statement and a statement on the elimination of hidden defects.

Warning!

Warranty can only be invoked with regular maintenance by the manufacturer.

If you have additional questions, please contact us. Questions and suggestions are always welcome.

We wish you an efficient use of your new tent,
yours, A.D. Acovia Design

COPYRIGHTS

We reserve the right to make changes. In A.D. Acovia Design d.o.o. we are constantly improving all types and models of our products. Therefore, please accept with understanding any changes in design, equipment and technique upon delivery. The tents in many photos can also be equipped with accessories available at an additional cost. Claims based on the data, images and descriptions in these operating instructions are therefore not justified. For more detailed information on the entire offer, contact us. Reprint, reproduction or translation, in whole or in part, without the written consent of A.D. Acovia Design d.o.o. not allowed. All rights under the Copyright and Related Rights Act (ZASP) are expressly reserved to A.D. Acovia Design d.o.o. We reserve the right to make changes.

Made in Slovenia.

©2025 A.D. Acovia Design d.o.o.

tent use

The traditional scout canvas tent **SCOUT** is distinguished by a modern design. It was developed in cooperation with *Slovenian Catholic Girl Guides and Boy Scouts Association*. The inner tent is made of lightweight and breathable PES fabric. The outer roof is made of TenCate cotton fabric with excellent properties of ventilation and humidity regulation. It ensures a pleasant climate in the tent and is resistant to all weather conditions. **The double roof contributes to the comfortable atmosphere in the tent.** An insulating area between the two roofs (air bridge) prevents the passage of heat into the living space. **The outer roof increases the usable floor plan by more than 10 m².** A small canopy in front of the tent protects against the weather and helps to cool the interior. On the other side, the outer roof covers the surface of a larger semicircle, which can be closed completely if necessary.

tent SCOUT inspection

PICTURE 1 – DIMENSIONS (+ OUTER ROOF)

width: 400 (+ 140) cm

length: 243 (+ 97 front + 150 back) cm

ridge height: 185 (+ 20) cm

side height: 40 cm

living area: 9.8 + 18.8 m²²

PICTURE 2 – FRAMES

galvanised and passivated steel

3-piece standing pole: 3 pcs, 202 cm

(\varnothing 28 x 1 mm)

4-piece ridge pole: 1 pcs, 340 cm

(\varnothing 28 x 1 mm)

1-piece corner pole: 4 pcs, 40 cm

(\varnothing 19 x 1 mm)

CANVAS

outer roof: 1 pcs, 100 % TenCate cotton

inner tent: 1 pcs, breathable PES fabric

BOTTOM

durable PE fabric

CLOSING SYSTEM

YKK zippers, a key with two pendants

ACCESSORIES

steel pegs: 41 pcs

synthetic ropes with aluminium tensioners:

8 pcs, 150 cm; 1 pcs, 350 cm

rubber rings: 22 pcs, 40 cm, \varnothing 8 mm

rubber covers: 3 pcs


BAGS (PACKAGING)

canvas


frame

accessories

PICTURE 1 – DIMENSIONS




PICTURE 2 – FRAMES



3 setting up the tent

The tent is set up **as a whole**. Choose a suitably large terrain and clean it of stones and other upholstery. **Follow these steps:**

1. Unfold the inner tent and tighten the tent bottom. Attach the bottom with steel pegs.
2. Hang the inner tent onto the ridge pole of the tent with velcro on its ridge.
3. Lift the ridge pole together with the inner hanging tent and put it on the ends of the standing poles.
4. Insert corner poles with hooks into the corner pockets.
5. Put the rubber covers on the tips of the standing poles.
6. **Be careful!** Adjust every rubber cover on the tip so that the wider part of the cover is looking up.
7. While tightening the outer ropes, you'll achieve the correct tension of the canvas, as well as a nice appearance of the tent.
8. Place the outer tent canvas on the prepared frame.
9. Continue installing the outer roof with rubber tensioning rings.
10. Tension the outer roof hanging on the frame with rubber rings, which ensure the correct tension of the outer roof.
11. At the front, tighten the "bun" with a rope (350 cm).
12. Given the the size of the outer roof, we recommend that you check the tension of the roof every two to three days and take action if necessary.



4 dismantling the tent

Disassemble the tent in the reverse order of installation. Remove all the pegs and store them into the accessory bag.

tent packing, storage

Pack exclusively completely dry canvas parts. If this is not possible, dry them as soon as you arrive at the storage place. Remove the components from the packaging, unfold them and let them dry completely.

tent maintenance, cleaning

Brush the canvas parts and, if necessary, wash them with a jet of water. Use only a softer brush. Spread out the tent and let it dry. Washed the frame and let it dry. **Canvas parts, frame parts, and accessories should be packed and stored completely dry. Machine washing, dry-cleaning, or bleaching of canvas parts is not allowed. Ironing or tumble drying them is also not allowed.**

Tears and other damage to the outer canvas should be repaired by the manufacturer.

use of insect repellents

The canvas of the tent is factory impregnated, which prevents water from passing through the canvas. Spraying insect repellent over the surface of the canvas will damage the impregnation, causing possible water seepage in the area where the agent was applied. Subsequent impregnation of the canvas with impregnating agents will not be deep. Consequently, the impregnation is not permanent. It will be necessary to replace the canvas or to sew a new one.

We suggest applying insect repellents to yourself outside the tent to prevent damaging the canvas.

∞ spare parts

CANVAS PARTS

outer roof: 100 % TenCate cotton

inner tent: breathable PES fabric

(additional) inner isolation unit:

100% aluminised fabric (winter)

FRAMES

galvanised and passivated steel

3-pcs standing pole: 202 cm (∅ 28 × 1 mm)

4-pcs ridge pole: 340 cm (∅ 28 × 1 mm)

4-pcs corner pole: 40 cm (∅ 19 × 1 mm)

BAGS (PACKAGING)

canvas

frames

accessories

ACCESSORIES

steel peg

synthetic ropes with aluminium tensioners:

150 cm, 350 cm

rubber ring: 40 cm, ∅ 8 mm

rubber cover

USER MANUAL

english

slovenian

∞ additional equipment

tent underlay

hanging organizer

tent mat

field bed

tent inspection, service

Perform the inspection and service within the prescribed time limits, which are listed below.

PERFORMED BY THE USER

Pre-use inspection – every time you take the tent out of the storage area for re-use.

Regular inspection and service – after each use and before storing the tent. Clean the bottom (mounting surface) and check all packaging. The inspection should take place as described below:

- Assemble the tent according to the installation instructions.
- Inspect the frame parts and their wear. Use a “spare parts and accessories” catalogue for service purposes.
- Inspect the set-up tent from the outside and inside and mark the damage with chalk.
- Inspect the tent karner (PVC protection at the tent floor) and the ropes for anchoring the canvas parts.

PERFORMED BY THE MANUFACTURER/AUTHORIZED SERVICER

General servicing – whenever damage to tent parts occurs they can only be serviced by the manufacturer/authorized servicer, with original spare parts.

tent warranty statement

The SCOUT tent is guaranteed for 60 months, provided that all instructions for use are followed. The lifetime of the tent is at least 10 years if all instructions for use are followed. The manufacturer undertakes to supply spare parts and other components for at least 5 years and to guarantee the servicing of the tent.

Date: _____

Producer: A.D. Acovia Design d.o.o. _____



+386 (0)1 721 94 78



acovia-design.com



info@acovia-design.com

A.D. Acovia Design d.o.o.

Šaranovičeva 36b

1230 Vir pri Domžalah

Slovenia – EU

